

## Specification Sheet

Part Number: 170-03166



Nomex® High Temperature Woven Sleeving, 1.75" Dia, GN, 100 ft/bulk reel

<b>Article Number</b>	170-03166
<b>Type</b>	BSNMX1345B
<b>Color</b>	Green (GN)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Self extinguishing material does not melt and is unaffected by most acids, and provides excellent thermal stability against direct flame.</li><li>• Meets FMVSS 302 specifications for use in automotive engineering.</li><li>• Material cuts with ordinary scissors which reduces assembly time.</li></ul>
<b>Quantity Per</b>	reel
<b>Product Description</b>	A densely woven aramid fiber sleeving, this soft and flexible material is self extinguishing and can withstand temperatures reaching up to 662°F.
<b>Short Description</b>	Nomex® High Temperature Woven Sleeving, 1.75" Dia, GN, 100 ft/bulk reel

**Global Part Name**

BSNMX1345B-NOMEX®-GN

**Length L (Imperial)**

100.0

**Length L (Metric)**

30.48

**Bundle Diameter Min (Imperial)**

1.5

**Bundle Diameter Min (Metric)**

38.1

**Bundle Diameter Max (Imperial)**

2.0

**Bundle Diameter Max (Metric)**

50.8

**Diameter D (imperial)**

1.75

**Diameter D (metric)**

44.4

**Nominal Diameter (Imperial)**

1-3/4

**Nominal Diameter (Metric)**

44.4

**Material**

Polyaramid Polymetaphenylene Isophthalamide

**Material Shortcut**

NOMEX®

**Flammability**

UL VW-1

**Halogen free**

Yes

<b>Operating Temperature (Metric)</b>	-320°F to +650°F (-196 °C to +350 °C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	100
<b>Package Quantity (Metric)</b>	30.48
<b>Customs Number</b>	3926909987
<b>Weight (Metric)</b>	2.18
<b>Weight (Imperial)</b>	4.8